



# ORC European Championship 2023

Malta, 23 April- 1 May 2023



## SAFETY CHECK LIST

Category 3: Races across open water, most of which is relatively protected or close to shorelines (OSR 2.01.4)

The present inspection card is based on World Sailing Offshore Special Regulations (OSR) 2022-2023 and do not cover ALL rules of OSR.

The full compliance with OSR Category 3 ([www.sailing.org](http://www.sailing.org)) is the sole responsibility of the person in charge and it cannot be limited to the present inspection card (OSR 1.02). The OSR do not replace, but rather supplement, the requirements of governmental authority, or any other rules or regulations (OSR 1.01.2).

BOAT NAME

MEASURER

MMSI n.

DATE

CREW n.

### SPARE NAVIGATION LIGHTS

### BILGE PUMP + handle / 2 BUCKETS WITH LANYARD

**MARINE TRANSCEIVER OR VHF** and MASTHEAD antenna + spare antenna

**2 ANCHORS** with suitable combination of **CHAIN** and **ROPE**

### AIS TRANSPONDER & GPS

LIFEJACKETS (with **crotch / thigh strap**, **spray hood** and **light**) and SPARE GAS BOTTLE or SPARE LIFEJACKET.

### HAND-HELD MARINE VHF

TETHERS **NOT EXCEEDING** 1m OR 2m WITH AN INTERMEDIATE SELF-CLOSING HOOK + **OVERLOAD INDICATOR**

### SOFT TAPERED WOOD PLUGS

**GRAB BAG** and WATERTIGHT STROBE LIGHT

**FIRE EXTINGUISHERS** (2 x 2 Kg) and FIRE BLANKET adjacent to every cooking device

**LIFEBUOY** WITH A **WHISTLE**, **LIGHT** AND **DROUGE**

### FLASHLIGHT & SEARCHLIGHT

**HEAVING LINE** (15 -25 m **floating line**)

### FIRST AID MANUAL & FIRST AID KIT

### RECOVERY SLING

### FOGHORN / RIGGING CUTTER / STRONG KNIFE

**ALL LIFELINES IN STAINLESS STEEL WIRE** including **TRANSOM LIFELINES** (Dyneema is NOT allowed)

### RADAR REFLECTOR

JACKSTAYS and CLIPPING POINTS

**CHARTS** (not solely electronic) + Light list and plotting equipment.

### HEAVY WEATHER JIB

Area formula:  $(0.255 \times HLU \times (HLP + 2 \times HHW))$

### PYROTECHNIC SIGNALS

4 red hand flares and 2 orange smokes

### REEFABLE MAINSAIL (40% of the luff) OR


**STORM TRYSAIL** - Area formula:  $0.5 \times \text{leech length} \times \text{the shortest distance between tack point and leech}$

### EMERGENCY TILLER


### INFLATABLE LIFERAFT

Packed either in: **a rigid container** securely stowed on the working deck, in the cockpit or in an open space. **If valise (soft type)** must be securely stowed in a dedicated weather tight locker.  
**DO NOT STOW THEM DOWN BELOW.**



[illegible]

UÙÜÄ^Δ!^}&ÁÈÇÉÁ  
 Ú!| ¸@&Ää}ä·ÁÁ·áÁ@ä·áÁæ·Ä  
 GÁæ\*^Á{[|\\·É




UÜÜÄ^~\|> } & Ä-EG-IA-EG-E-ÄDÄ  
Óä^Ä^~\} |Ä æ^ æÄ\| æ^>| d^Ä & cæ|äÄ  
[]\|æ|Ä äÖÄ|Ä & |ä^æ äÜ^ [çæ|Ä  
ää^Ä^~\} |Ä cæ ä|Ä cæ ä^Ä Ää æäE



PÜÜÄ^~^~^> &Ä Ä Ä Ä Ä  
Öö@!Ä q !{ Ä! ~äÄ ä@Ä~äÄ Ä Ä Ä Ä Ä Ä Ä  
[!Ä ä ~äÄ ^~^ \* Ä Ä Ä ~ &Ä @ Ä ~ Ä ~ Ä  
Ä ä Ä Ä Ä

UÜÄ^!^)&ÁHÇÉÀD  
ç [ Ád ] \* Ä ~ & ^ ° Æ æ Ç ç ö Ö ä å  
æ å Å å Ä å æ ö Ü Á Ç È Á Ú Õ æ D & æ æ æ .

UÜÜÄ^>^>)&^Ä Æ ÆÄD  
Y äöÄ^æ^ ÄHÄ Ä Ä Ä@ä @Ä Ä@Ä  
-|ä dæ)\*|Ä~ æ^äÄä^>^>ä^>^> @Ä ÄÄ  
|Ä|:| cÄÄ ÄäÄÄ@Ä Ä ÄÄÄäy.

[illegible][illegible][illegible][illegible][illegible]

Á Ė Š ã ^ | æ €

<95 J=B; `@B9`  
UÜÜÁ^~!^} &^Á



## EMERGENCY TILLER and EMERGENCY STEERING\*

U Û Ü Á ^ ˇ ! ^ } & ^ Á È Í È Á Æ È Í È Æ



@ 96| CMUÜÜÁ^~!^} &^Á ÈGGÈÁ  
Šã^à`[ ^Á^æÁ@Á@|} •{ æÁ ã@Á



## LIFEJACKETS



U Û Á ^ ˇ ! ^ } & Á € F Á € F È Á & D Á € F È Á & D

[illegible]

If manufactured after 2011



00155a bcd ^o A 00155e ^h A (^!^\*) & A | • aq | / a a a a a ^A 00155f i a a a 8^A 00155g  
 ^a 00155h u / f g e g i A | u u s c u / u c u a a ^A 00155i h ^A / ^a ^a ^A 00155j 00155k [ a a A | A  
 ^a ^a | q A a ^A 00155l ^A | a a q | a a a a i a a a 8^A 00155m u / f g e g i E  
 00155n a a 00155o i ^a ^a 00155p ^A ^a ^A 00155q ^A ^a bcd ^o A ^a ^A | a ^A i E

## SAFETY HARNESS AND TETHERS



UÜÜÁ^Δ!^} &amp; Á ÈÈÈÁĐÁĐÁĐÁ ÈÈÈÁĐÁ ÈÈÈÁĐÁ ÈÈÈ

$$\{ \text{\tiny O} \text{\tiny F} \text{\tiny C} \text{\tiny e} \}^{\wedge} \bullet \bullet \dot{\text{\tiny A}} @_{\text{\tiny e}} | \& [ \{ \mid | \grave{\text{\tiny a}} \bullet \acute{\text{\tiny a}} @_{\text{\tiny U}} \text{\tiny A} \text{\tiny F} \text{\tiny G} \in \text{\tiny F} \text{\tiny A} ! \acute{\text{\tiny A}} ^{\sim} \tilde{\text{\tiny a}} \text{\tiny e}^{\wedge} \} \text{\tiny d}$$

0Zr@!Á @|B{ |jA•Ä äöUüFG €FÁ!Á~ ääY)É  
0Zr@!Á @|Á@ç^Á ç||| zää ääzää!Áæ Á{ à^ää^ää Ä@Á c&@ \*Ä} áÁ  
à^Á æ ~-æç !ÁäæÄ!ÄCCCCÄ

00fA A@B^ Á @A@ÁÁ@|k@o@|Á |Ác8AAq \*Á{ GHAÁ & q̄ āā \*Á  
o@Á)\*0fA A@AQ|\·E|Áq q c| ^āāÁÁ|E|·q \*ÁQ|\Á)ÁGÁ Á  
Ĉ ħ Dc o@H0R @|Á @G@CÁÁ| Á c|| āāáÁ @ÁÁÁ|)āāāÁ



## 2m tether with intermediate self closing hook

**tether not exceeding 1m**

## INFLATABLE LIFERAFTS - ISO 9650



UÜÁ^~|^} & Á È€Á È€È Á

liferafts ISO 9650, and capacity to accommodate at least the total number of people on board.

Each Liferaft shall be packed either in:

a **rigid container** securely stowed **on the working deck**, in the cockpit or in an open space;

or: **valise** (soft type bag) securely stowed in a **dedicated weather tight locker** containing Liferaft and abandon ship equipment only which is readily accessible and opens onto the cockpit or working deck, or transom.

**!Liferafts can not be stowed below deck!**



**In case of a soft type liferaft, it can be stowed only in a dedicate weather tight compartment located not below deck**